


Velika logična pošast



Meritve in napake

Na različnih inštrumentih je opravljena meritev.
Natančnost inštrumenta je dana v procentih.
Določi spodnjo in zgornjo mejo za izmerjeno količino.

1.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 82 | 10 | | | |
| 94 | 4 | | | |
| 50 | 5 | | | |
| 90 | 5 | | | |
| 55 | 10 | | | |
| 64 | 10 | | | |
| 22 | 2 | | | |
| 65 | 4 | | | |
| 42 | 8 | | | |
| 80 | 8 | | | |
| 12 | 4 | | | |
| 45 | 4 | | | |
| 66 | 4 | | | |
| 94 | 10 | | | |
| 80 | 10 | | | |
| 21 | 1 | | | |
| 23 | 1 | | | |
| 91 | 8 | | | |
| 66 | 2 | | | |
| 97 | 8 | | | |
| 93 | 10 | | | |
| 88 | 10 | | | |
| 98 | 5 | | | |
| 49 | 8 | | | |
| 79 | 10 | | | |

2.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 10 | 4 | | | |
| 13 | 5 | | | |
| 74 | 8 | | | |
| 48 | 10 | | | |
| 75 | 8 | | | |
| 95 | 10 | | | |
| 43 | 8 | | | |
| 29 | 2 | | | |
| 84 | 1 | | | |
| 84 | 1 | | | |
| 31 | 1 | | | |
| 24 | 1 | | | |
| 42 | 1 | | | |
| 51 | 5 | | | |
| 11 | 10 | | | |
| 70 | 5 | | | |
| 38 | 8 | | | |
| 26 | 1 | | | |
| 83 | 2 | | | |
| 85 | 8 | | | |
| 31 | 5 | | | |
| 39 | 2 | | | |
| 72 | 1 | | | |
| 40 | 10 | | | |
| 35 | 4 | | | |

3.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 87 | 8 | | | |
| 26 | 5 | | | |
| 93 | 5 | | | |
| 29 | 1 | | | |
| 64 | 5 | | | |
| 76 | 10 | | | |
| 47 | 10 | | | |
| 89 | 5 | | | |
| 69 | 10 | | | |
| 71 | 4 | | | |
| 43 | 10 | | | |
| 45 | 1 | | | |
| 67 | 1 | | | |
| 57 | 8 | | | |
| 44 | 8 | | | |
| 77 | 1 | | | |
| 80 | 5 | | | |
| 74 | 8 | | | |
| 80 | 1 | | | |
| 86 | 2 | | | |
| 23 | 4 | | | |
| 74 | 5 | | | |
| 29 | 2 | | | |
| 95 | 4 | | | |
| 22 | 8 | | | |

4.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 94 | 10 | | | |
| 90 | 2 | | | |
| 95 | 2 | | | |
| 92 | 1 | | | |
| 17 | 2 | | | |
| 43 | 5 | | | |
| 90 | 4 | | | |
| 43 | 1 | | | |
| 82 | 4 | | | |
| 81 | 8 | | | |
| 73 | 10 | | | |
| 35 | 4 | | | |
| 16 | 5 | | | |
| 51 | 2 | | | |
| 40 | 1 | | | |
| 78 | 2 | | | |
| 27 | 5 | | | |
| 84 | 5 | | | |
| 26 | 5 | | | |
| 72 | 2 | | | |
| 71 | 8 | | | |
| 17 | 10 | | | |
| 56 | 5 | | | |
| 23 | 2 | | | |
| 40 | 1 | | | |

5.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 11 | 2 | | | |
| 10 | 5 | | | |
| 18 | 2 | | | |
| 41 | 10 | | | |
| 46 | 2 | | | |
| 88 | 2 | | | |
| 86 | 4 | | | |
| 92 | 5 | | | |
| 95 | 2 | | | |
| 29 | 8 | | | |
| 72 | 5 | | | |
| 90 | 5 | | | |
| 52 | 1 | | | |
| 85 | 5 | | | |
| 78 | 1 | | | |
| 98 | 8 | | | |
| 23 | 5 | | | |
| 92 | 1 | | | |
| 55 | 4 | | | |
| 88 | 8 | | | |
| 79 | 1 | | | |
| 87 | 8 | | | |
| 63 | 10 | | | |
| 79 | 5 | | | |
| 63 | 2 | | | |

6.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 68 | 2 | | | |
| 66 | 1 | | | |
| 13 | 5 | | | |
| 26 | 5 | | | |
| 33 | 4 | | | |
| 98 | 10 | | | |
| 63 | 4 | | | |
| 41 | 10 | | | |
| 21 | 8 | | | |
| 27 | 5 | | | |
| 70 | 8 | | | |
| 49 | 1 | | | |
| 14 | 8 | | | |
| 31 | 8 | | | |
| 51 | 1 | | | |
| 39 | 5 | | | |
| 79 | 5 | | | |
| 90 | 5 | | | |
| 70 | 1 | | | |
| 14 | 4 | | | |
| 44 | 2 | | | |
| 25 | 5 | | | |
| 19 | 1 | | | |
| 12 | 10 | | | |
| 56 | 4 | | | |

7.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 26 | 5 | | | |
| 17 | 8 | | | |
| 17 | 4 | | | |
| 34 | 5 | | | |
| 58 | 4 | | | |
| 19 | 1 | | | |
| 31 | 1 | | | |
| 18 | 10 | | | |
| 36 | 10 | | | |
| 35 | 4 | | | |
| 43 | 5 | | | |
| 21 | 5 | | | |
| 60 | 5 | | | |
| 52 | 1 | | | |
| 45 | 8 | | | |
| 21 | 1 | | | |
| 89 | 2 | | | |
| 85 | 4 | | | |
| 83 | 2 | | | |
| 22 | 5 | | | |
| 96 | 2 | | | |
| 44 | 1 | | | |
| 10 | 10 | | | |
| 74 | 2 | | | |
| 95 | 5 | | | |

8.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 53 | 10 | | | |
| 90 | 10 | | | |
| 49 | 8 | | | |
| 79 | 10 | | | |
| 52 | 4 | | | |
| 96 | 8 | | | |
| 27 | 4 | | | |
| 52 | 4 | | | |
| 24 | 10 | | | |
| 28 | 8 | | | |
| 35 | 8 | | | |
| 93 | 10 | | | |
| 16 | 2 | | | |
| 50 | 5 | | | |
| 100 | 1 | | | |
| 39 | 2 | | | |
| 17 | 2 | | | |
| 55 | 2 | | | |
| 55 | 2 | | | |
| 76 | 8 | | | |
| 48 | 4 | | | |
| 91 | 1 | | | |
| 77 | 2 | | | |
| 99 | 10 | | | |
| 48 | 4 | | | |

9.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 45 | 4 | | | |
| 45 | 1 | | | |
| 93 | 5 | | | |
| 57 | 1 | | | |
| 56 | 2 | | | |
| 92 | 10 | | | |
| 28 | 1 | | | |
| 49 | 10 | | | |
| 61 | 2 | | | |
| 77 | 1 | | | |
| 85 | 2 | | | |
| 46 | 5 | | | |
| 20 | 1 | | | |
| 30 | 2 | | | |
| 28 | 2 | | | |
| 98 | 1 | | | |
| 83 | 8 | | | |
| 48 | 10 | | | |
| 58 | 10 | | | |
| 37 | 5 | | | |
| 38 | 4 | | | |
| 52 | 1 | | | |
| 20 | 2 | | | |
| 100 | 10 | | | |
| 86 | 8 | | | |

10.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 72 | 10 | | | |
| 37 | 4 | | | |
| 15 | 8 | | | |
| 40 | 5 | | | |
| 68 | 8 | | | |
| 57 | 2 | | | |
| 34 | 4 | | | |
| 65 | 4 | | | |
| 79 | 5 | | | |
| 60 | 4 | | | |
| 52 | 4 | | | |
| 35 | 4 | | | |
| 91 | 10 | | | |
| 18 | 2 | | | |
| 21 | 4 | | | |
| 46 | 5 | | | |
| 32 | 8 | | | |
| 55 | 2 | | | |
| 47 | 10 | | | |
| 100 | 4 | | | |
| 13 | 8 | | | |
| 26 | 5 | | | |
| 23 | 5 | | | |
| 82 | 1 | | | |
| 29 | 8 | | | |

11.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 68 | 4 | | | |
| 96 | 8 | | | |
| 53 | 1 | | | |
| 60 | 1 | | | |
| 64 | 2 | | | |
| 57 | 10 | | | |
| 35 | 5 | | | |
| 43 | 5 | | | |
| 21 | 2 | | | |
| 27 | 4 | | | |
| 69 | 5 | | | |
| 82 | 10 | | | |
| 32 | 1 | | | |
| 47 | 4 | | | |
| 80 | 8 | | | |
| 38 | 10 | | | |
| 94 | 10 | | | |
| 71 | 5 | | | |
| 90 | 1 | | | |
| 73 | 4 | | | |
| 72 | 10 | | | |
| 28 | 1 | | | |
| 37 | 10 | | | |
| 69 | 5 | | | |
| 24 | 1 | | | |

12.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 52 | 1 | | | |
| 90 | 5 | | | |
| 64 | 1 | | | |
| 59 | 1 | | | |
| 60 | 8 | | | |
| 53 | 10 | | | |
| 14 | 8 | | | |
| 58 | 1 | | | |
| 47 | 1 | | | |
| 37 | 10 | | | |
| 92 | 10 | | | |
| 12 | 10 | | | |
| 79 | 5 | | | |
| 27 | 8 | | | |
| 96 | 4 | | | |
| 65 | 1 | | | |
| 52 | 1 | | | |
| 15 | 5 | | | |
| 93 | 8 | | | |
| 48 | 10 | | | |
| 58 | 10 | | | |
| 18 | 10 | | | |
| 32 | 4 | | | |
| 21 | 2 | | | |
| 17 | 10 | | | |

13.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 65 | 5 | | | |
| 45 | 5 | | | |
| 17 | 10 | | | |
| 22 | 5 | | | |
| 43 | 4 | | | |
| 54 | 10 | | | |
| 80 | 5 | | | |
| 94 | 10 | | | |
| 48 | 2 | | | |
| 37 | 1 | | | |
| 33 | 4 | | | |
| 53 | 8 | | | |
| 10 | 8 | | | |
| 55 | 5 | | | |
| 79 | 8 | | | |
| 95 | 2 | | | |
| 10 | 8 | | | |
| 24 | 10 | | | |
| 15 | 8 | | | |
| 91 | 10 | | | |
| 81 | 5 | | | |
| 45 | 4 | | | |
| 34 | 5 | | | |
| 56 | 2 | | | |
| 73 | 10 | | | |

14.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 98 | 2 | | | |
| 98 | 8 | | | |
| 17 | 5 | | | |
| 75 | 1 | | | |
| 41 | 8 | | | |
| 55 | 10 | | | |
| 92 | 1 | | | |
| 63 | 10 | | | |
| 42 | 2 | | | |
| 36 | 10 | | | |
| 78 | 5 | | | |
| 64 | 4 | | | |
| 74 | 4 | | | |
| 36 | 4 | | | |
| 92 | 4 | | | |
| 27 | 1 | | | |
| 40 | 10 | | | |
| 76 | 1 | | | |
| 50 | 4 | | | |
| 51 | 10 | | | |
| 89 | 5 | | | |
| 28 | 8 | | | |
| 50 | 10 | | | |
| 42 | 10 | | | |
| 48 | 8 | | | |

15.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 58 | 10 | | | |
| 43 | 1 | | | |
| 47 | 8 | | | |
| 100 | 5 | | | |
| 82 | 2 | | | |
| 38 | 5 | | | |
| 47 | 4 | | | |
| 62 | 5 | | | |
| 93 | 10 | | | |
| 94 | 10 | | | |
| 10 | 1 | | | |
| 54 | 1 | | | |
| 26 | 1 | | | |
| 91 | 8 | | | |
| 23 | 4 | | | |
| 18 | 2 | | | |
| 88 | 4 | | | |
| 66 | 8 | | | |
| 92 | 1 | | | |
| 40 | 5 | | | |
| 49 | 1 | | | |
| 92 | 8 | | | |
| 40 | 1 | | | |
| 82 | 10 | | | |
| 73 | 8 | | | |

16.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 29 | 2 | | | |
| 22 | 8 | | | |
| 66 | 1 | | | |
| 21 | 8 | | | |
| 89 | 8 | | | |
| 75 | 5 | | | |
| 92 | 4 | | | |
| 62 | 1 | | | |
| 18 | 8 | | | |
| 97 | 10 | | | |
| 57 | 8 | | | |
| 76 | 1 | | | |
| 58 | 8 | | | |
| 50 | 10 | | | |
| 72 | 1 | | | |
| 44 | 1 | | | |
| 36 | 8 | | | |
| 54 | 8 | | | |
| 100 | 2 | | | |
| 84 | 10 | | | |
| 39 | 2 | | | |
| 98 | 4 | | | |
| 37 | 4 | | | |
| 46 | 10 | | | |
| 19 | 10 | | | |

17.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 22 | 8 | | | |
| 74 | 2 | | | |
| 96 | 4 | | | |
| 65 | 2 | | | |
| 50 | 8 | | | |
| 69 | 2 | | | |
| 65 | 4 | | | |
| 53 | 5 | | | |
| 64 | 5 | | | |
| 55 | 8 | | | |
| 14 | 2 | | | |
| 98 | 4 | | | |
| 42 | 5 | | | |
| 71 | 2 | | | |
| 47 | 10 | | | |
| 45 | 2 | | | |
| 79 | 8 | | | |
| 39 | 10 | | | |
| 32 | 1 | | | |
| 17 | 1 | | | |
| 57 | 4 | | | |
| 29 | 2 | | | |
| 59 | 5 | | | |
| 68 | 4 | | | |
| 83 | 4 | | | |

18.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 59 | 10 | | | |
| 37 | 2 | | | |
| 27 | 1 | | | |
| 48 | 8 | | | |
| 77 | 4 | | | |
| 90 | 8 | | | |
| 68 | 1 | | | |
| 65 | 8 | | | |
| 24 | 10 | | | |
| 14 | 8 | | | |
| 50 | 5 | | | |
| 62 | 5 | | | |
| 38 | 10 | | | |
| 49 | 5 | | | |
| 47 | 5 | | | |
| 62 | 2 | | | |
| 68 | 1 | | | |
| 82 | 2 | | | |
| 79 | 2 | | | |
| 79 | 4 | | | |
| 94 | 8 | | | |
| 17 | 4 | | | |
| 50 | 5 | | | |
| 86 | 10 | | | |
| 81 | 4 | | | |

19.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 30 | 2 | | | |
| 70 | 2 | | | |
| 77 | 5 | | | |
| 45 | 1 | | | |
| 29 | 10 | | | |
| 77 | 2 | | | |
| 92 | 8 | | | |
| 18 | 2 | | | |
| 33 | 10 | | | |
| 39 | 8 | | | |
| 19 | 2 | | | |
| 49 | 1 | | | |
| 73 | 4 | | | |
| 79 | 10 | | | |
| 56 | 1 | | | |
| 16 | 1 | | | |
| 54 | 5 | | | |
| 85 | 1 | | | |
| 89 | 2 | | | |
| 76 | 5 | | | |
| 35 | 10 | | | |
| 92 | 1 | | | |
| 69 | 10 | | | |
| 70 | 5 | | | |
| 28 | 2 | | | |

20.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 60 | 2 | | | |
| 59 | 1 | | | |
| 21 | 5 | | | |
| 84 | 5 | | | |
| 74 | 1 | | | |
| 63 | 10 | | | |
| 59 | 4 | | | |
| 64 | 4 | | | |
| 22 | 1 | | | |
| 100 | 8 | | | |
| 16 | 4 | | | |
| 43 | 10 | | | |
| 10 | 4 | | | |
| 100 | 4 | | | |
| 39 | 10 | | | |
| 35 | 2 | | | |
| 99 | 2 | | | |
| 55 | 5 | | | |
| 55 | 1 | | | |
| 100 | 4 | | | |
| 26 | 2 | | | |
| 24 | 2 | | | |
| 39 | 1 | | | |
| 12 | 5 | | | |
| 58 | 10 | | | |

21.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 24 | 1 | | | |
| 71 | 2 | | | |
| 89 | 10 | | | |
| 37 | 1 | | | |
| 53 | 4 | | | |
| 15 | 2 | | | |
| 88 | 4 | | | |
| 70 | 8 | | | |
| 36 | 4 | | | |
| 56 | 8 | | | |
| 54 | 10 | | | |
| 86 | 8 | | | |
| 73 | 4 | | | |
| 15 | 4 | | | |
| 73 | 2 | | | |
| 89 | 5 | | | |
| 55 | 10 | | | |
| 39 | 5 | | | |
| 93 | 4 | | | |
| 20 | 8 | | | |
| 12 | 5 | | | |
| 64 | 4 | | | |
| 34 | 5 | | | |
| 72 | 1 | | | |
| 62 | 4 | | | |

22.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 42 | 2 | | | |
| 62 | 5 | | | |
| 72 | 8 | | | |
| 27 | 1 | | | |
| 15 | 8 | | | |
| 86 | 5 | | | |
| 53 | 1 | | | |
| 78 | 4 | | | |
| 15 | 5 | | | |
| 85 | 2 | | | |
| 57 | 8 | | | |
| 16 | 10 | | | |
| 32 | 10 | | | |
| 33 | 5 | | | |
| 75 | 8 | | | |
| 57 | 8 | | | |
| 55 | 2 | | | |
| 15 | 10 | | | |
| 49 | 1 | | | |
| 99 | 1 | | | |
| 51 | 10 | | | |
| 85 | 4 | | | |
| 44 | 2 | | | |
| 49 | 1 | | | |
| 24 | 5 | | | |

23.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 44 | 1 | | | |
| 74 | 1 | | | |
| 90 | 5 | | | |
| 19 | 5 | | | |
| 98 | 10 | | | |
| 70 | 5 | | | |
| 98 | 1 | | | |
| 26 | 10 | | | |
| 100 | 1 | | | |
| 85 | 4 | | | |
| 65 | 10 | | | |
| 25 | 10 | | | |
| 71 | 10 | | | |
| 57 | 5 | | | |
| 33 | 2 | | | |
| 92 | 4 | | | |
| 30 | 2 | | | |
| 57 | 5 | | | |
| 51 | 8 | | | |
| 20 | 5 | | | |
| 91 | 5 | | | |
| 80 | 2 | | | |
| 69 | 5 | | | |
| 69 | 1 | | | |
| 76 | 8 | | | |

24.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 14 | 10 | | | |
| 81 | 10 | | | |
| 77 | 8 | | | |
| 35 | 8 | | | |
| 43 | 4 | | | |
| 88 | 8 | | | |
| 91 | 8 | | | |
| 56 | 5 | | | |
| 99 | 4 | | | |
| 86 | 4 | | | |
| 74 | 1 | | | |
| 76 | 2 | | | |
| 63 | 1 | | | |
| 78 | 4 | | | |
| 14 | 2 | | | |
| 37 | 4 | | | |
| 70 | 1 | | | |
| 12 | 4 | | | |
| 44 | 2 | | | |
| 100 | 1 | | | |
| 60 | 10 | | | |
| 10 | 10 | | | |
| 68 | 4 | | | |
| 55 | 5 | | | |
| 65 | 8 | | | |

25.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 48 | 4 | | | |
| 45 | 5 | | | |
| 81 | 8 | | | |
| 42 | 5 | | | |
| 32 | 1 | | | |
| 51 | 10 | | | |
| 20 | 10 | | | |
| 84 | 4 | | | |
| 27 | 10 | | | |
| 97 | 8 | | | |
| 49 | 5 | | | |
| 32 | 2 | | | |
| 18 | 8 | | | |
| 48 | 10 | | | |
| 24 | 5 | | | |
| 84 | 10 | | | |
| 47 | 10 | | | |
| 75 | 5 | | | |
| 12 | 4 | | | |
| 37 | 10 | | | |
| 11 | 10 | | | |
| 63 | 8 | | | |
| 57 | 8 | | | |
| 21 | 1 | | | |
| 26 | 10 | | | |

26.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 96 | 1 | | | |
| 61 | 1 | | | |
| 87 | 8 | | | |
| 66 | 10 | | | |
| 87 | 8 | | | |
| 51 | 10 | | | |
| 94 | 5 | | | |
| 85 | 2 | | | |
| 29 | 10 | | | |
| 77 | 10 | | | |
| 42 | 5 | | | |
| 65 | 10 | | | |
| 59 | 4 | | | |
| 52 | 5 | | | |
| 56 | 4 | | | |
| 64 | 1 | | | |
| 17 | 8 | | | |
| 55 | 5 | | | |
| 72 | 8 | | | |
| 98 | 8 | | | |
| 31 | 5 | | | |
| 60 | 2 | | | |
| 20 | 5 | | | |
| 33 | 4 | | | |
| 27 | 10 | | | |

27.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 28 | 5 | | | |
| 88 | 8 | | | |
| 70 | 8 | | | |
| 22 | 1 | | | |
| 31 | 1 | | | |
| 29 | 8 | | | |
| 36 | 1 | | | |
| 17 | 8 | | | |
| 92 | 8 | | | |
| 36 | 1 | | | |
| 25 | 10 | | | |
| 95 | 1 | | | |
| 11 | 2 | | | |
| 60 | 2 | | | |
| 89 | 5 | | | |
| 38 | 5 | | | |
| 96 | 10 | | | |
| 62 | 5 | | | |
| 42 | 10 | | | |
| 23 | 8 | | | |
| 81 | 4 | | | |
| 42 | 1 | | | |
| 23 | 4 | | | |
| 12 | 4 | | | |
| 26 | 2 | | | |

28.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 37 | 2 | | | |
| 59 | 5 | | | |
| 15 | 8 | | | |
| 52 | 1 | | | |
| 87 | 10 | | | |
| 25 | 2 | | | |
| 51 | 5 | | | |
| 69 | 1 | | | |
| 99 | 4 | | | |
| 73 | 5 | | | |
| 81 | 5 | | | |
| 60 | 2 | | | |
| 25 | 5 | | | |
| 82 | 5 | | | |
| 60 | 2 | | | |
| 30 | 5 | | | |
| 76 | 5 | | | |
| 73 | 4 | | | |
| 53 | 10 | | | |
| 95 | 5 | | | |
| 89 | 2 | | | |
| 95 | 4 | | | |
| 87 | 8 | | | |
| 14 | 1 | | | |
| 93 | 1 | | | |

29.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 74 | 2 | | | |
| 63 | 4 | | | |
| 32 | 4 | | | |
| 18 | 4 | | | |
| 49 | 10 | | | |
| 95 | 2 | | | |
| 25 | 10 | | | |
| 27 | 4 | | | |
| 32 | 8 | | | |
| 22 | 5 | | | |
| 87 | 1 | | | |
| 42 | 1 | | | |
| 17 | 4 | | | |
| 87 | 2 | | | |
| 96 | 10 | | | |
| 13 | 1 | | | |
| 42 | 5 | | | |
| 59 | 5 | | | |
| 86 | 5 | | | |
| 17 | 8 | | | |
| 50 | 10 | | | |
| 96 | 5 | | | |
| 34 | 4 | | | |
| 100 | 5 | | | |
| 69 | 4 | | | |

30.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 92 | 8 | | | |
| 51 | 10 | | | |
| 22 | 1 | | | |
| 61 | 10 | | | |
| 30 | 2 | | | |
| 66 | 10 | | | |
| 17 | 8 | | | |
| 82 | 10 | | | |
| 69 | 4 | | | |
| 14 | 2 | | | |
| 10 | 10 | | | |
| 12 | 5 | | | |
| 46 | 4 | | | |
| 45 | 4 | | | |
| 60 | 5 | | | |
| 28 | 1 | | | |
| 29 | 5 | | | |
| 98 | 8 | | | |
| 84 | 8 | | | |
| 87 | 5 | | | |
| 86 | 4 | | | |
| 35 | 8 | | | |
| 55 | 10 | | | |
| 79 | 2 | | | |
| 30 | 10 | | | |

Rešitve:

1.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 82 | 10 | 8.2 | 73.8 | 90.2 |
| 94 | 4 | 3.76 | 90.24 | 97.76 |
| 50 | 5 | 2.5 | 47.5 | 52.5 |
| 90 | 5 | 4.5 | 85.5 | 94.5 |
| 55 | 10 | 5.5 | 49.5 | 60.5 |
| 64 | 10 | 6.4 | 57.6 | 70.4 |
| 22 | 2 | 0.44 | 21.56 | 22.44 |
| 65 | 4 | 2.6 | 62.4 | 67.6 |
| 42 | 8 | 3.36 | 38.64 | 45.36 |
| 80 | 8 | 6.4 | 73.6 | 86.4 |
| 12 | 4 | 0.48 | 11.52 | 12.48 |
| 45 | 4 | 1.8 | 43.2 | 46.8 |
| 66 | 4 | 2.64 | 63.36 | 68.64 |
| 94 | 10 | 9.4 | 84.6 | 103.4 |
| 80 | 10 | 8. | 72. | 88. |
| 21 | 1 | 0.21 | 20.79 | 21.21 |
| 23 | 1 | 0.23 | 22.77 | 23.23 |
| 91 | 8 | 7.28 | 83.72 | 98.28 |
| 66 | 2 | 1.32 | 64.68 | 67.32 |
| 97 | 8 | 7.76 | 89.24 | 104.76 |
| 93 | 10 | 9.3 | 83.7 | 102.3 |
| 88 | 10 | 8.8 | 79.2 | 96.8 |
| 98 | 5 | 4.9 | 93.1 | 102.9 |
| 49 | 8 | 3.92 | 45.08 | 52.92 |
| 79 | 10 | 7.9 | 71.1 | 86.9 |

2.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 10 | 4 | 0.4 | 9.6 | 10.4 |
| 13 | 5 | 0.65 | 12.35 | 13.65 |
| 74 | 8 | 5.92 | 68.08 | 79.92 |
| 48 | 10 | 4.8 | 43.2 | 52.8 |
| 75 | 8 | 6. | 69. | 81. |
| 95 | 10 | 9.5 | 85.5 | 104.5 |
| 43 | 8 | 3.44 | 39.56 | 46.44 |
| 29 | 2 | 0.58 | 28.42 | 29.58 |
| 84 | 1 | 0.84 | 83.16 | 84.84 |
| 84 | 1 | 0.84 | 83.16 | 84.84 |
| 31 | 1 | 0.31 | 30.69 | 31.31 |
| 24 | 1 | 0.24 | 23.76 | 24.24 |
| 42 | 1 | 0.42 | 41.58 | 42.42 |
| 51 | 5 | 2.55 | 48.45 | 53.55 |
| 11 | 10 | 1.1 | 9.9 | 12.1 |
| 70 | 5 | 3.5 | 66.5 | 73.5 |
| 38 | 8 | 3.04 | 34.96 | 41.04 |
| 26 | 1 | 0.26 | 25.74 | 26.26 |
| 83 | 2 | 1.66 | 81.34 | 84.66 |
| 85 | 8 | 6.8 | 78.2 | 91.8 |
| 31 | 5 | 1.55 | 29.45 | 32.55 |
| 39 | 2 | 0.78 | 38.22 | 39.78 |
| 72 | 1 | 0.72 | 71.28 | 72.72 |
| 40 | 10 | 4. | 36. | 44. |
| 35 | 4 | 1.4 | 33.6 | 36.4 |

3.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 87 | 8 | 6.96 | 80.04 | 93.96 |
| 26 | 5 | 1.3 | 24.7 | 27.3 |
| 93 | 5 | 4.65 | 88.35 | 97.65 |
| 29 | 1 | 0.29 | 28.71 | 29.29 |
| 64 | 5 | 3.2 | 60.8 | 67.2 |
| 76 | 10 | 7.6 | 68.4 | 83.6 |
| 47 | 10 | 4.7 | 42.3 | 51.7 |
| 89 | 5 | 4.45 | 84.55 | 93.45 |
| 69 | 10 | 6.9 | 62.1 | 75.9 |
| 71 | 4 | 2.84 | 68.16 | 73.84 |
| 43 | 10 | 4.3 | 38.7 | 47.3 |
| 45 | 1 | 0.45 | 44.55 | 45.45 |
| 67 | 1 | 0.67 | 66.33 | 67.67 |
| 57 | 8 | 4.56 | 52.44 | 61.56 |
| 44 | 8 | 3.52 | 40.48 | 47.52 |
| 77 | 1 | 0.77 | 76.23 | 77.77 |
| 80 | 5 | 4. | 76. | 84. |
| 74 | 8 | 5.92 | 68.08 | 79.92 |
| 80 | 1 | 0.8 | 79.2 | 80.8 |
| 86 | 2 | 1.72 | 84.28 | 87.72 |
| 23 | 4 | 0.92 | 22.08 | 23.92 |
| 74 | 5 | 3.7 | 70.3 | 77.7 |
| 29 | 2 | 0.58 | 28.42 | 29.58 |
| 95 | 4 | 3.8 | 91.2 | 98.8 |
| 22 | 8 | 1.76 | 20.24 | 23.76 |

4.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 94 | 10 | 9.4 | 84.6 | 103.4 |
| 90 | 2 | 1.8 | 88.2 | 91.8 |
| 95 | 2 | 1.9 | 93.1 | 96.9 |
| 92 | 1 | 0.92 | 91.08 | 92.92 |
| 17 | 2 | 0.34 | 16.66 | 17.34 |
| 43 | 5 | 2.15 | 40.85 | 45.15 |
| 90 | 4 | 3.6 | 86.4 | 93.6 |
| 43 | 1 | 0.43 | 42.57 | 43.43 |
| 82 | 4 | 3.28 | 78.72 | 85.28 |
| 81 | 8 | 6.48 | 74.52 | 87.48 |
| 73 | 10 | 7.3 | 65.7 | 80.3 |
| 35 | 4 | 1.4 | 33.6 | 36.4 |
| 16 | 5 | 0.8 | 15.2 | 16.8 |
| 51 | 2 | 1.02 | 49.98 | 52.02 |
| 40 | 1 | 0.4 | 39.6 | 40.4 |
| 78 | 2 | 1.56 | 76.44 | 79.56 |
| 27 | 5 | 1.35 | 25.65 | 28.35 |
| 84 | 5 | 4.2 | 79.8 | 88.2 |
| 26 | 5 | 1.3 | 24.7 | 27.3 |
| 72 | 2 | 1.44 | 70.56 | 73.44 |
| 71 | 8 | 5.68 | 65.32 | 76.68 |
| 17 | 10 | 1.7 | 15.3 | 18.7 |
| 56 | 5 | 2.8 | 53.2 | 58.8 |
| 23 | 2 | 0.46 | 22.54 | 23.46 |
| 40 | 1 | 0.4 | 39.6 | 40.4 |

5.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 11 | 2 | 0.22 | 10.78 | 11.22 |
| 10 | 5 | 0.5 | 9.5 | 10.5 |
| 18 | 2 | 0.36 | 17.64 | 18.36 |
| 41 | 10 | 4.1 | 36.9 | 45.1 |
| 46 | 2 | 0.92 | 45.08 | 46.92 |
| 88 | 2 | 1.76 | 86.24 | 89.76 |
| 86 | 4 | 3.44 | 82.56 | 89.44 |
| 92 | 5 | 4.6 | 87.4 | 96.6 |
| 95 | 2 | 1.9 | 93.1 | 96.9 |
| 29 | 8 | 2.32 | 26.68 | 31.32 |
| 72 | 5 | 3.6 | 68.4 | 75.6 |
| 90 | 5 | 4.5 | 85.5 | 94.5 |
| 52 | 1 | 0.52 | 51.48 | 52.52 |
| 85 | 5 | 4.25 | 80.75 | 89.25 |
| 78 | 1 | 0.78 | 77.22 | 78.78 |
| 98 | 8 | 7.84 | 90.16 | 105.84 |
| 23 | 5 | 1.15 | 21.85 | 24.15 |
| 92 | 1 | 0.92 | 91.08 | 92.92 |
| 55 | 4 | 2.2 | 52.8 | 57.2 |
| 88 | 8 | 7.04 | 80.96 | 95.04 |
| 79 | 1 | 0.79 | 78.21 | 79.79 |
| 87 | 8 | 6.96 | 80.04 | 93.96 |
| 63 | 10 | 6.3 | 56.7 | 69.3 |
| 79 | 5 | 3.95 | 75.05 | 82.95 |
| 63 | 2 | 1.26 | 61.74 | 64.26 |

6.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 68 | 2 | 1.36 | 66.64 | 69.36 |
| 66 | 1 | 0.66 | 65.34 | 66.66 |
| 13 | 5 | 0.65 | 12.35 | 13.65 |
| 26 | 5 | 1.3 | 24.7 | 27.3 |
| 33 | 4 | 1.32 | 31.68 | 34.32 |
| 98 | 10 | 9.8 | 88.2 | 107.8 |
| 63 | 4 | 2.52 | 60.48 | 65.52 |
| 41 | 10 | 4.1 | 36.9 | 45.1 |
| 21 | 8 | 1.68 | 19.32 | 22.68 |
| 27 | 5 | 1.35 | 25.65 | 28.35 |
| 70 | 8 | 5.6 | 64.4 | 75.6 |
| 49 | 1 | 0.49 | 48.51 | 49.49 |
| 14 | 8 | 1.12 | 12.88 | 15.12 |
| 31 | 8 | 2.48 | 28.52 | 33.48 |
| 51 | 1 | 0.51 | 50.49 | 51.51 |
| 39 | 5 | 1.95 | 37.05 | 40.95 |
| 79 | 5 | 3.95 | 75.05 | 82.95 |
| 90 | 5 | 4.5 | 85.5 | 94.5 |
| 70 | 1 | 0.7 | 69.3 | 70.7 |
| 14 | 4 | 0.56 | 13.44 | 14.56 |
| 44 | 2 | 0.88 | 43.12 | 44.88 |
| 25 | 5 | 1.25 | 23.75 | 26.25 |
| 19 | 1 | 0.19 | 18.81 | 19.19 |
| 12 | 10 | 1.2 | 10.8 | 13.2 |
| 56 | 4 | 2.24 | 53.76 | 58.24 |

7.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 26 | 5 | 1.3 | 24.7 | 27.3 |
| 17 | 8 | 1.36 | 15.64 | 18.36 |
| 17 | 4 | 0.68 | 16.32 | 17.68 |
| 34 | 5 | 1.7 | 32.3 | 35.7 |
| 58 | 4 | 2.32 | 55.68 | 60.32 |
| 19 | 1 | 0.19 | 18.81 | 19.19 |
| 31 | 1 | 0.31 | 30.69 | 31.31 |
| 18 | 10 | 1.8 | 16.2 | 19.8 |
| 36 | 10 | 3.6 | 32.4 | 39.6 |
| 35 | 4 | 1.4 | 33.6 | 36.4 |
| 43 | 5 | 2.15 | 40.85 | 45.15 |
| 21 | 5 | 1.05 | 19.95 | 22.05 |
| 60 | 5 | 3. | 57. | 63. |
| 52 | 1 | 0.52 | 51.48 | 52.52 |
| 45 | 8 | 3.6 | 41.4 | 48.6 |
| 21 | 1 | 0.21 | 20.79 | 21.21 |
| 89 | 2 | 1.78 | 87.22 | 90.78 |
| 85 | 4 | 3.4 | 81.6 | 88.4 |
| 83 | 2 | 1.66 | 81.34 | 84.66 |
| 22 | 5 | 1.1 | 20.9 | 23.1 |
| 96 | 2 | 1.92 | 94.08 | 97.92 |
| 44 | 1 | 0.44 | 43.56 | 44.44 |
| 10 | 10 | 1. | 9. | 11. |
| 74 | 2 | 1.48 | 72.52 | 75.48 |
| 95 | 5 | 4.75 | 90.25 | 99.75 |

8.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 53 | 10 | 5.3 | 47.7 | 58.3 |
| 90 | 10 | 9. | 81. | 99. |
| 49 | 8 | 3.92 | 45.08 | 52.92 |
| 79 | 10 | 7.9 | 71.1 | 86.9 |
| 52 | 4 | 2.08 | 49.92 | 54.08 |
| 96 | 8 | 7.68 | 88.32 | 103.68 |
| 27 | 4 | 1.08 | 25.92 | 28.08 |
| 52 | 4 | 2.08 | 49.92 | 54.08 |
| 24 | 10 | 2.4 | 21.6 | 26.4 |
| 28 | 8 | 2.24 | 25.76 | 30.24 |
| 35 | 8 | 2.8 | 32.2 | 37.8 |
| 93 | 10 | 9.3 | 83.7 | 102.3 |
| 16 | 2 | 0.32 | 15.68 | 16.32 |
| 50 | 5 | 2.5 | 47.5 | 52.5 |
| 100 | 1 | 1. | 99. | 101. |
| 39 | 2 | 0.78 | 38.22 | 39.78 |
| 17 | 2 | 0.34 | 16.66 | 17.34 |
| 55 | 2 | 1.1 | 53.9 | 56.1 |
| 55 | 2 | 1.1 | 53.9 | 56.1 |
| 76 | 8 | 6.08 | 69.92 | 82.08 |
| 48 | 4 | 1.92 | 46.08 | 49.92 |
| 91 | 1 | 0.91 | 90.09 | 91.91 |
| 77 | 2 | 1.54 | 75.46 | 78.54 |
| 99 | 10 | 9.9 | 89.1 | 108.9 |
| 48 | 4 | 1.92 | 46.08 | 49.92 |

9.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 45 | 4 | 1.8 | 43.2 | 46.8 |
| 45 | 1 | 0.45 | 44.55 | 45.45 |
| 93 | 5 | 4.65 | 88.35 | 97.65 |
| 57 | 1 | 0.57 | 56.43 | 57.57 |
| 56 | 2 | 1.12 | 54.88 | 57.12 |
| 92 | 10 | 9.2 | 82.8 | 101.2 |
| 28 | 1 | 0.28 | 27.72 | 28.28 |
| 49 | 10 | 4.9 | 44.1 | 53.9 |
| 61 | 2 | 1.22 | 59.78 | 62.22 |
| 77 | 1 | 0.77 | 76.23 | 77.77 |
| 85 | 2 | 1.7 | 83.3 | 86.7 |
| 46 | 5 | 2.3 | 43.7 | 48.3 |
| 20 | 1 | 0.2 | 19.8 | 20.2 |
| 30 | 2 | 0.6 | 29.4 | 30.6 |
| 28 | 2 | 0.56 | 27.44 | 28.56 |
| 98 | 1 | 0.98 | 97.02 | 98.98 |
| 83 | 8 | 6.64 | 76.36 | 89.64 |
| 48 | 10 | 4.8 | 43.2 | 52.8 |
| 58 | 10 | 5.8 | 52.2 | 63.8 |
| 37 | 5 | 1.85 | 35.15 | 38.85 |
| 38 | 4 | 1.52 | 36.48 | 39.52 |
| 52 | 1 | 0.52 | 51.48 | 52.52 |
| 20 | 2 | 0.4 | 19.6 | 20.4 |
| 100 | 10 | 10. | 90. | 110. |
| 86 | 8 | 6.88 | 79.12 | 92.88 |

10.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 72 | 10 | 7.2 | 64.8 | 79.2 |
| 37 | 4 | 1.48 | 35.52 | 38.48 |
| 15 | 8 | 1.2 | 13.8 | 16.2 |
| 40 | 5 | 2. | 38. | 42. |
| 68 | 8 | 5.44 | 62.56 | 73.44 |
| 57 | 2 | 1.14 | 55.86 | 58.14 |
| 34 | 4 | 1.36 | 32.64 | 35.36 |
| 65 | 4 | 2.6 | 62.4 | 67.6 |
| 79 | 5 | 3.95 | 75.05 | 82.95 |
| 60 | 4 | 2.4 | 57.6 | 62.4 |
| 52 | 4 | 2.08 | 49.92 | 54.08 |
| 35 | 4 | 1.4 | 33.6 | 36.4 |
| 91 | 10 | 9.1 | 81.9 | 100.1 |
| 18 | 2 | 0.36 | 17.64 | 18.36 |
| 21 | 4 | 0.84 | 20.16 | 21.84 |
| 46 | 5 | 2.3 | 43.7 | 48.3 |
| 32 | 8 | 2.56 | 29.44 | 34.56 |
| 55 | 2 | 1.1 | 53.9 | 56.1 |
| 47 | 10 | 4.7 | 42.3 | 51.7 |
| 100 | 4 | 4. | 96. | 104. |
| 13 | 8 | 1.04 | 11.96 | 14.04 |
| 26 | 5 | 1.3 | 24.7 | 27.3 |
| 23 | 5 | 1.15 | 21.85 | 24.15 |
| 82 | 1 | 0.82 | 81.18 | 82.82 |
| 29 | 8 | 2.32 | 26.68 | 31.32 |

11.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 68 | 4 | 2.72 | 65.28 | 70.72 |
| 96 | 8 | 7.68 | 88.32 | 103.68 |
| 53 | 1 | 0.53 | 52.47 | 53.53 |
| 60 | 1 | 0.6 | 59.4 | 60.6 |
| 64 | 2 | 1.28 | 62.72 | 65.28 |
| 57 | 10 | 5.7 | 51.3 | 62.7 |
| 35 | 5 | 1.75 | 33.25 | 36.75 |
| 43 | 5 | 2.15 | 40.85 | 45.15 |
| 21 | 2 | 0.42 | 20.58 | 21.42 |
| 27 | 4 | 1.08 | 25.92 | 28.08 |
| 69 | 5 | 3.45 | 65.55 | 72.45 |
| 82 | 10 | 8.2 | 73.8 | 90.2 |
| 32 | 1 | 0.32 | 31.68 | 32.32 |
| 47 | 4 | 1.88 | 45.12 | 48.88 |
| 80 | 8 | 6.4 | 73.6 | 86.4 |
| 38 | 10 | 3.8 | 34.2 | 41.8 |
| 94 | 10 | 9.4 | 84.6 | 103.4 |
| 71 | 5 | 3.55 | 67.45 | 74.55 |
| 90 | 1 | 0.9 | 89.1 | 90.9 |
| 73 | 4 | 2.92 | 70.08 | 75.92 |
| 72 | 10 | 7.2 | 64.8 | 79.2 |
| 28 | 1 | 0.28 | 27.72 | 28.28 |
| 37 | 10 | 3.7 | 33.3 | 40.7 |
| 69 | 5 | 3.45 | 65.55 | 72.45 |
| 24 | 1 | 0.24 | 23.76 | 24.24 |

12.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 52 | 1 | 0.52 | 51.48 | 52.52 |
| 90 | 5 | 4.5 | 85.5 | 94.5 |
| 64 | 1 | 0.64 | 63.36 | 64.64 |
| 59 | 1 | 0.59 | 58.41 | 59.59 |
| 60 | 8 | 4.8 | 55.2 | 64.8 |
| 53 | 10 | 5.3 | 47.7 | 58.3 |
| 14 | 8 | 1.12 | 12.88 | 15.12 |
| 58 | 1 | 0.58 | 57.42 | 58.58 |
| 47 | 1 | 0.47 | 46.53 | 47.47 |
| 37 | 10 | 3.7 | 33.3 | 40.7 |
| 92 | 10 | 9.2 | 82.8 | 101.2 |
| 12 | 10 | 1.2 | 10.8 | 13.2 |
| 79 | 5 | 3.95 | 75.05 | 82.95 |
| 27 | 8 | 2.16 | 24.84 | 29.16 |
| 96 | 4 | 3.84 | 92.16 | 99.84 |
| 65 | 1 | 0.65 | 64.35 | 65.65 |
| 52 | 1 | 0.52 | 51.48 | 52.52 |
| 15 | 5 | 0.75 | 14.25 | 15.75 |
| 93 | 8 | 7.44 | 85.56 | 100.44 |
| 48 | 10 | 4.8 | 43.2 | 52.8 |
| 58 | 10 | 5.8 | 52.2 | 63.8 |
| 18 | 10 | 1.8 | 16.2 | 19.8 |
| 32 | 4 | 1.28 | 30.72 | 33.28 |
| 21 | 2 | 0.42 | 20.58 | 21.42 |
| 17 | 10 | 1.7 | 15.3 | 18.7 |

13.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 65 | 5 | 3.25 | 61.75 | 68.25 |
| 45 | 5 | 2.25 | 42.75 | 47.25 |
| 17 | 10 | 1.7 | 15.3 | 18.7 |
| 22 | 5 | 1.1 | 20.9 | 23.1 |
| 43 | 4 | 1.72 | 41.28 | 44.72 |
| 54 | 10 | 5.4 | 48.6 | 59.4 |
| 80 | 5 | 4. | 76. | 84. |
| 94 | 10 | 9.4 | 84.6 | 103.4 |
| 48 | 2 | 0.96 | 47.04 | 48.96 |
| 37 | 1 | 0.37 | 36.63 | 37.37 |
| 33 | 4 | 1.32 | 31.68 | 34.32 |
| 53 | 8 | 4.24 | 48.76 | 57.24 |
| 10 | 8 | 0.8 | 9.2 | 10.8 |
| 55 | 5 | 2.75 | 52.25 | 57.75 |
| 79 | 8 | 6.32 | 72.68 | 85.32 |
| 95 | 2 | 1.9 | 93.1 | 96.9 |
| 10 | 8 | 0.8 | 9.2 | 10.8 |
| 24 | 10 | 2.4 | 21.6 | 26.4 |
| 15 | 8 | 1.2 | 13.8 | 16.2 |
| 91 | 10 | 9.1 | 81.9 | 100.1 |
| 81 | 5 | 4.05 | 76.95 | 85.05 |
| 45 | 4 | 1.8 | 43.2 | 46.8 |
| 34 | 5 | 1.7 | 32.3 | 35.7 |
| 56 | 2 | 1.12 | 54.88 | 57.12 |
| 73 | 10 | 7.3 | 65.7 | 80.3 |

14.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 98 | 2 | 1.96 | 96.04 | 99.96 |
| 98 | 8 | 7.84 | 90.16 | 105.84 |
| 17 | 5 | 0.85 | 16.15 | 17.85 |
| 75 | 1 | 0.75 | 74.25 | 75.75 |
| 41 | 8 | 3.28 | 37.72 | 44.28 |
| 55 | 10 | 5.5 | 49.5 | 60.5 |
| 92 | 1 | 0.92 | 91.08 | 92.92 |
| 63 | 10 | 6.3 | 56.7 | 69.3 |
| 42 | 2 | 0.84 | 41.16 | 42.84 |
| 36 | 10 | 3.6 | 32.4 | 39.6 |
| 78 | 5 | 3.9 | 74.1 | 81.9 |
| 64 | 4 | 2.56 | 61.44 | 66.56 |
| 74 | 4 | 2.96 | 71.04 | 76.96 |
| 36 | 4 | 1.44 | 34.56 | 37.44 |
| 92 | 4 | 3.68 | 88.32 | 95.68 |
| 27 | 1 | 0.27 | 26.73 | 27.27 |
| 40 | 10 | 4. | 36. | 44. |
| 76 | 1 | 0.76 | 75.24 | 76.76 |
| 50 | 4 | 2. | 48. | 52. |
| 51 | 10 | 5.1 | 45.9 | 56.1 |
| 89 | 5 | 4.45 | 84.55 | 93.45 |
| 28 | 8 | 2.24 | 25.76 | 30.24 |
| 50 | 10 | 5. | 45. | 55. |
| 42 | 10 | 4.2 | 37.8 | 46.2 |
| 48 | 8 | 3.84 | 44.16 | 51.84 |

15.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 58 | 10 | 5.8 | 52.2 | 63.8 |
| 43 | 1 | 0.43 | 42.57 | 43.43 |
| 47 | 8 | 3.76 | 43.24 | 50.76 |
| 100 | 5 | 5. | 95. | 105. |
| 82 | 2 | 1.64 | 80.36 | 83.64 |
| 38 | 5 | 1.9 | 36.1 | 39.9 |
| 47 | 4 | 1.88 | 45.12 | 48.88 |
| 62 | 5 | 3.1 | 58.9 | 65.1 |
| 93 | 10 | 9.3 | 83.7 | 102.3 |
| 94 | 10 | 9.4 | 84.6 | 103.4 |
| 10 | 1 | 0.1 | 9.9 | 10.1 |
| 54 | 1 | 0.54 | 53.46 | 54.54 |
| 26 | 1 | 0.26 | 25.74 | 26.26 |
| 91 | 8 | 7.28 | 83.72 | 98.28 |
| 23 | 4 | 0.92 | 22.08 | 23.92 |
| 18 | 2 | 0.36 | 17.64 | 18.36 |
| 88 | 4 | 3.52 | 84.48 | 91.52 |
| 66 | 8 | 5.28 | 60.72 | 71.28 |
| 92 | 1 | 0.92 | 91.08 | 92.92 |
| 40 | 5 | 2. | 38. | 42. |
| 49 | 1 | 0.49 | 48.51 | 49.49 |
| 92 | 8 | 7.36 | 84.64 | 99.36 |
| 40 | 1 | 0.4 | 39.6 | 40.4 |
| 82 | 10 | 8.2 | 73.8 | 90.2 |
| 73 | 8 | 5.84 | 67.16 | 78.84 |

16.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 29 | 2 | 0.58 | 28.42 | 29.58 |
| 22 | 8 | 1.76 | 20.24 | 23.76 |
| 66 | 1 | 0.66 | 65.34 | 66.66 |
| 21 | 8 | 1.68 | 19.32 | 22.68 |
| 89 | 8 | 7.12 | 81.88 | 96.12 |
| 75 | 5 | 3.75 | 71.25 | 78.75 |
| 92 | 4 | 3.68 | 88.32 | 95.68 |
| 62 | 1 | 0.62 | 61.38 | 62.62 |
| 18 | 8 | 1.44 | 16.56 | 19.44 |
| 97 | 10 | 9.7 | 87.3 | 106.7 |
| 57 | 8 | 4.56 | 52.44 | 61.56 |
| 76 | 1 | 0.76 | 75.24 | 76.76 |
| 58 | 8 | 4.64 | 53.36 | 62.64 |
| 50 | 10 | 5. | 45. | 55. |
| 72 | 1 | 0.72 | 71.28 | 72.72 |
| 44 | 1 | 0.44 | 43.56 | 44.44 |
| 36 | 8 | 2.88 | 33.12 | 38.88 |
| 54 | 8 | 4.32 | 49.68 | 58.32 |
| 100 | 2 | 2. | 98. | 102. |
| 84 | 10 | 8.4 | 75.6 | 92.4 |
| 39 | 2 | 0.78 | 38.22 | 39.78 |
| 98 | 4 | 3.92 | 94.08 | 101.92 |
| 37 | 4 | 1.48 | 35.52 | 38.48 |
| 46 | 10 | 4.6 | 41.4 | 50.6 |
| 19 | 10 | 1.9 | 17.1 | 20.9 |

17.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 22 | 8 | 1.76 | 20.24 | 23.76 |
| 74 | 2 | 1.48 | 72.52 | 75.48 |
| 96 | 4 | 3.84 | 92.16 | 99.84 |
| 65 | 2 | 1.3 | 63.7 | 66.3 |
| 50 | 8 | 4. | 46. | 54. |
| 69 | 2 | 1.38 | 67.62 | 70.38 |
| 65 | 4 | 2.6 | 62.4 | 67.6 |
| 53 | 5 | 2.65 | 50.35 | 55.65 |
| 64 | 5 | 3.2 | 60.8 | 67.2 |
| 55 | 8 | 4.4 | 50.6 | 59.4 |
| 14 | 2 | 0.28 | 13.72 | 14.28 |
| 98 | 4 | 3.92 | 94.08 | 101.92 |
| 42 | 5 | 2.1 | 39.9 | 44.1 |
| 71 | 2 | 1.42 | 69.58 | 72.42 |
| 47 | 10 | 4.7 | 42.3 | 51.7 |
| 45 | 2 | 0.9 | 44.1 | 45.9 |
| 79 | 8 | 6.32 | 72.68 | 85.32 |
| 39 | 10 | 3.9 | 35.1 | 42.9 |
| 32 | 1 | 0.32 | 31.68 | 32.32 |
| 17 | 1 | 0.17 | 16.83 | 17.17 |
| 57 | 4 | 2.28 | 54.72 | 59.28 |
| 29 | 2 | 0.58 | 28.42 | 29.58 |
| 59 | 5 | 2.95 | 56.05 | 61.95 |
| 68 | 4 | 2.72 | 65.28 | 70.72 |
| 83 | 4 | 3.32 | 79.68 | 86.32 |

18.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 59 | 10 | 5.9 | 53.1 | 64.9 |
| 37 | 2 | 0.74 | 36.26 | 37.74 |
| 27 | 1 | 0.27 | 26.73 | 27.27 |
| 48 | 8 | 3.84 | 44.16 | 51.84 |
| 77 | 4 | 3.08 | 73.92 | 80.08 |
| 90 | 8 | 7.2 | 82.8 | 97.2 |
| 68 | 1 | 0.68 | 67.32 | 68.68 |
| 65 | 8 | 5.2 | 59.8 | 70.2 |
| 24 | 10 | 2.4 | 21.6 | 26.4 |
| 14 | 8 | 1.12 | 12.88 | 15.12 |
| 50 | 5 | 2.5 | 47.5 | 52.5 |
| 62 | 5 | 3.1 | 58.9 | 65.1 |
| 38 | 10 | 3.8 | 34.2 | 41.8 |
| 49 | 5 | 2.45 | 46.55 | 51.45 |
| 47 | 5 | 2.35 | 44.65 | 49.35 |
| 62 | 2 | 1.24 | 60.76 | 63.24 |
| 68 | 1 | 0.68 | 67.32 | 68.68 |
| 82 | 2 | 1.64 | 80.36 | 83.64 |
| 79 | 2 | 1.58 | 77.42 | 80.58 |
| 79 | 4 | 3.16 | 75.84 | 82.16 |
| 94 | 8 | 7.52 | 86.48 | 101.52 |
| 17 | 4 | 0.68 | 16.32 | 17.68 |
| 50 | 5 | 2.5 | 47.5 | 52.5 |
| 86 | 10 | 8.6 | 77.4 | 94.6 |
| 81 | 4 | 3.24 | 77.76 | 84.24 |

19.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 30 | 2 | 0.6 | 29.4 | 30.6 |
| 70 | 2 | 1.4 | 68.6 | 71.4 |
| 77 | 5 | 3.85 | 73.15 | 80.85 |
| 45 | 1 | 0.45 | 44.55 | 45.45 |
| 29 | 10 | 2.9 | 26.1 | 31.9 |
| 77 | 2 | 1.54 | 75.46 | 78.54 |
| 92 | 8 | 7.36 | 84.64 | 99.36 |
| 18 | 2 | 0.36 | 17.64 | 18.36 |
| 33 | 10 | 3.3 | 29.7 | 36.3 |
| 39 | 8 | 3.12 | 35.88 | 42.12 |
| 19 | 2 | 0.38 | 18.62 | 19.38 |
| 49 | 1 | 0.49 | 48.51 | 49.49 |
| 73 | 4 | 2.92 | 70.08 | 75.92 |
| 79 | 10 | 7.9 | 71.1 | 86.9 |
| 56 | 1 | 0.56 | 55.44 | 56.56 |
| 16 | 1 | 0.16 | 15.84 | 16.16 |
| 54 | 5 | 2.7 | 51.3 | 56.7 |
| 85 | 1 | 0.85 | 84.15 | 85.85 |
| 89 | 2 | 1.78 | 87.22 | 90.78 |
| 76 | 5 | 3.8 | 72.2 | 79.8 |
| 35 | 10 | 3.5 | 31.5 | 38.5 |
| 92 | 1 | 0.92 | 91.08 | 92.92 |
| 69 | 10 | 6.9 | 62.1 | 75.9 |
| 70 | 5 | 3.5 | 66.5 | 73.5 |
| 28 | 2 | 0.56 | 27.44 | 28.56 |

20.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 60 | 2 | 1.2 | 58.8 | 61.2 |
| 59 | 1 | 0.59 | 58.41 | 59.59 |
| 21 | 5 | 1.05 | 19.95 | 22.05 |
| 84 | 5 | 4.2 | 79.8 | 88.2 |
| 74 | 1 | 0.74 | 73.26 | 74.74 |
| 63 | 10 | 6.3 | 56.7 | 69.3 |
| 59 | 4 | 2.36 | 56.64 | 61.36 |
| 64 | 4 | 2.56 | 61.44 | 66.56 |
| 22 | 1 | 0.22 | 21.78 | 22.22 |
| 100 | 8 | 8. | 92. | 108. |
| 16 | 4 | 0.64 | 15.36 | 16.64 |
| 43 | 10 | 4.3 | 38.7 | 47.3 |
| 10 | 4 | 0.4 | 9.6 | 10.4 |
| 100 | 4 | 4. | 96. | 104. |
| 39 | 10 | 3.9 | 35.1 | 42.9 |
| 35 | 2 | 0.7 | 34.3 | 35.7 |
| 99 | 2 | 1.98 | 97.02 | 100.98 |
| 55 | 5 | 2.75 | 52.25 | 57.75 |
| 55 | 1 | 0.55 | 54.45 | 55.55 |
| 100 | 4 | 4. | 96. | 104. |
| 26 | 2 | 0.52 | 25.48 | 26.52 |
| 24 | 2 | 0.48 | 23.52 | 24.48 |
| 39 | 1 | 0.39 | 38.61 | 39.39 |
| 12 | 5 | 0.6 | 11.4 | 12.6 |
| 58 | 10 | 5.8 | 52.2 | 63.8 |

21.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 24 | 1 | 0.24 | 23.76 | 24.24 |
| 71 | 2 | 1.42 | 69.58 | 72.42 |
| 89 | 10 | 8.9 | 80.1 | 97.9 |
| 37 | 1 | 0.37 | 36.63 | 37.37 |
| 53 | 4 | 2.12 | 50.88 | 55.12 |
| 15 | 2 | 0.3 | 14.7 | 15.3 |
| 88 | 4 | 3.52 | 84.48 | 91.52 |
| 70 | 8 | 5.6 | 64.4 | 75.6 |
| 36 | 4 | 1.44 | 34.56 | 37.44 |
| 56 | 8 | 4.48 | 51.52 | 60.48 |
| 54 | 10 | 5.4 | 48.6 | 59.4 |
| 86 | 8 | 6.88 | 79.12 | 92.88 |
| 73 | 4 | 2.92 | 70.08 | 75.92 |
| 15 | 4 | 0.6 | 14.4 | 15.6 |
| 73 | 2 | 1.46 | 71.54 | 74.46 |
| 89 | 5 | 4.45 | 84.55 | 93.45 |
| 55 | 10 | 5.5 | 49.5 | 60.5 |
| 39 | 5 | 1.95 | 37.05 | 40.95 |
| 93 | 4 | 3.72 | 89.28 | 96.72 |
| 20 | 8 | 1.6 | 18.4 | 21.6 |
| 12 | 5 | 0.6 | 11.4 | 12.6 |
| 64 | 4 | 2.56 | 61.44 | 66.56 |
| 34 | 5 | 1.7 | 32.3 | 35.7 |
| 72 | 1 | 0.72 | 71.28 | 72.72 |
| 62 | 4 | 2.48 | 59.52 | 64.48 |

22.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 42 | 2 | 0.84 | 41.16 | 42.84 |
| 62 | 5 | 3.1 | 58.9 | 65.1 |
| 72 | 8 | 5.76 | 66.24 | 77.76 |
| 27 | 1 | 0.27 | 26.73 | 27.27 |
| 15 | 8 | 1.2 | 13.8 | 16.2 |
| 86 | 5 | 4.3 | 81.7 | 90.3 |
| 53 | 1 | 0.53 | 52.47 | 53.53 |
| 78 | 4 | 3.12 | 74.88 | 81.12 |
| 15 | 5 | 0.75 | 14.25 | 15.75 |
| 85 | 2 | 1.7 | 83.3 | 86.7 |
| 57 | 8 | 4.56 | 52.44 | 61.56 |
| 16 | 10 | 1.6 | 14.4 | 17.6 |
| 32 | 10 | 3.2 | 28.8 | 35.2 |
| 33 | 5 | 1.65 | 31.35 | 34.65 |
| 75 | 8 | 6. | 69. | 81. |
| 57 | 8 | 4.56 | 52.44 | 61.56 |
| 55 | 2 | 1.1 | 53.9 | 56.1 |
| 15 | 10 | 1.5 | 13.5 | 16.5 |
| 49 | 1 | 0.49 | 48.51 | 49.49 |
| 99 | 1 | 0.99 | 98.01 | 99.99 |
| 51 | 10 | 5.1 | 45.9 | 56.1 |
| 85 | 4 | 3.4 | 81.6 | 88.4 |
| 44 | 2 | 0.88 | 43.12 | 44.88 |
| 49 | 1 | 0.49 | 48.51 | 49.49 |
| 24 | 5 | 1.2 | 22.8 | 25.2 |

23.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 44 | 1 | 0.44 | 43.56 | 44.44 |
| 74 | 1 | 0.74 | 73.26 | 74.74 |
| 90 | 5 | 4.5 | 85.5 | 94.5 |
| 19 | 5 | 0.95 | 18.05 | 19.95 |
| 98 | 10 | 9.8 | 88.2 | 107.8 |
| 70 | 5 | 3.5 | 66.5 | 73.5 |
| 98 | 1 | 0.98 | 97.02 | 98.98 |
| 26 | 10 | 2.6 | 23.4 | 28.6 |
| 100 | 1 | 1. | 99. | 101. |
| 85 | 4 | 3.4 | 81.6 | 88.4 |
| 65 | 10 | 6.5 | 58.5 | 71.5 |
| 25 | 10 | 2.5 | 22.5 | 27.5 |
| 71 | 10 | 7.1 | 63.9 | 78.1 |
| 57 | 5 | 2.85 | 54.15 | 59.85 |
| 33 | 2 | 0.66 | 32.34 | 33.66 |
| 92 | 4 | 3.68 | 88.32 | 95.68 |
| 30 | 2 | 0.6 | 29.4 | 30.6 |
| 57 | 5 | 2.85 | 54.15 | 59.85 |
| 51 | 8 | 4.08 | 46.92 | 55.08 |
| 20 | 5 | 1. | 19. | 21. |
| 91 | 5 | 4.55 | 86.45 | 95.55 |
| 80 | 2 | 1.6 | 78.4 | 81.6 |
| 69 | 5 | 3.45 | 65.55 | 72.45 |
| 69 | 1 | 0.69 | 68.31 | 69.69 |
| 76 | 8 | 6.08 | 69.92 | 82.08 |

24.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 14 | 10 | 1.4 | 12.6 | 15.4 |
| 81 | 10 | 8.1 | 72.9 | 89.1 |
| 77 | 8 | 6.16 | 70.84 | 83.16 |
| 35 | 8 | 2.8 | 32.2 | 37.8 |
| 43 | 4 | 1.72 | 41.28 | 44.72 |
| 88 | 8 | 7.04 | 80.96 | 95.04 |
| 91 | 8 | 7.28 | 83.72 | 98.28 |
| 56 | 5 | 2.8 | 53.2 | 58.8 |
| 99 | 4 | 3.96 | 95.04 | 102.96 |
| 86 | 4 | 3.44 | 82.56 | 89.44 |
| 74 | 1 | 0.74 | 73.26 | 74.74 |
| 76 | 2 | 1.52 | 74.48 | 77.52 |
| 63 | 1 | 0.63 | 62.37 | 63.63 |
| 78 | 4 | 3.12 | 74.88 | 81.12 |
| 14 | 2 | 0.28 | 13.72 | 14.28 |
| 37 | 4 | 1.48 | 35.52 | 38.48 |
| 70 | 1 | 0.7 | 69.3 | 70.7 |
| 12 | 4 | 0.48 | 11.52 | 12.48 |
| 44 | 2 | 0.88 | 43.12 | 44.88 |
| 100 | 1 | 1. | 99. | 101. |
| 60 | 10 | 6. | 54. | 66. |
| 10 | 10 | 1. | 9. | 11. |
| 68 | 4 | 2.72 | 65.28 | 70.72 |
| 55 | 5 | 2.75 | 52.25 | 57.75 |
| 65 | 8 | 5.2 | 59.8 | 70.2 |

25.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 48 | 4 | 1.92 | 46.08 | 49.92 |
| 45 | 5 | 2.25 | 42.75 | 47.25 |
| 81 | 8 | 6.48 | 74.52 | 87.48 |
| 42 | 5 | 2.1 | 39.9 | 44.1 |
| 32 | 1 | 0.32 | 31.68 | 32.32 |
| 51 | 10 | 5.1 | 45.9 | 56.1 |
| 20 | 10 | 2. | 18. | 22. |
| 84 | 4 | 3.36 | 80.64 | 87.36 |
| 27 | 10 | 2.7 | 24.3 | 29.7 |
| 97 | 8 | 7.76 | 89.24 | 104.76 |
| 49 | 5 | 2.45 | 46.55 | 51.45 |
| 32 | 2 | 0.64 | 31.36 | 32.64 |
| 18 | 8 | 1.44 | 16.56 | 19.44 |
| 48 | 10 | 4.8 | 43.2 | 52.8 |
| 24 | 5 | 1.2 | 22.8 | 25.2 |
| 84 | 10 | 8.4 | 75.6 | 92.4 |
| 47 | 10 | 4.7 | 42.3 | 51.7 |
| 75 | 5 | 3.75 | 71.25 | 78.75 |
| 12 | 4 | 0.48 | 11.52 | 12.48 |
| 37 | 10 | 3.7 | 33.3 | 40.7 |
| 11 | 10 | 1.1 | 9.9 | 12.1 |
| 63 | 8 | 5.04 | 57.96 | 68.04 |
| 57 | 8 | 4.56 | 52.44 | 61.56 |
| 21 | 1 | 0.21 | 20.79 | 21.21 |
| 26 | 10 | 2.6 | 23.4 | 28.6 |

26.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 96 | 1 | 0.96 | 95.04 | 96.96 |
| 61 | 1 | 0.61 | 60.39 | 61.61 |
| 87 | 8 | 6.96 | 80.04 | 93.96 |
| 66 | 10 | 6.6 | 59.4 | 72.6 |
| 87 | 8 | 6.96 | 80.04 | 93.96 |
| 51 | 10 | 5.1 | 45.9 | 56.1 |
| 94 | 5 | 4.7 | 89.3 | 98.7 |
| 85 | 2 | 1.7 | 83.3 | 86.7 |
| 29 | 10 | 2.9 | 26.1 | 31.9 |
| 77 | 10 | 7.7 | 69.3 | 84.7 |
| 42 | 5 | 2.1 | 39.9 | 44.1 |
| 65 | 10 | 6.5 | 58.5 | 71.5 |
| 59 | 4 | 2.36 | 56.64 | 61.36 |
| 52 | 5 | 2.6 | 49.4 | 54.6 |
| 56 | 4 | 2.24 | 53.76 | 58.24 |
| 64 | 1 | 0.64 | 63.36 | 64.64 |
| 17 | 8 | 1.36 | 15.64 | 18.36 |
| 55 | 5 | 2.75 | 52.25 | 57.75 |
| 72 | 8 | 5.76 | 66.24 | 77.76 |
| 98 | 8 | 7.84 | 90.16 | 105.84 |
| 31 | 5 | 1.55 | 29.45 | 32.55 |
| 60 | 2 | 1.2 | 58.8 | 61.2 |
| 20 | 5 | 1. | 19. | 21. |
| 33 | 4 | 1.32 | 31.68 | 34.32 |
| 27 | 10 | 2.7 | 24.3 | 29.7 |

27.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 28 | 5 | 1.4 | 26.6 | 29.4 |
| 88 | 8 | 7.04 | 80.96 | 95.04 |
| 70 | 8 | 5.6 | 64.4 | 75.6 |
| 22 | 1 | 0.22 | 21.78 | 22.22 |
| 31 | 1 | 0.31 | 30.69 | 31.31 |
| 29 | 8 | 2.32 | 26.68 | 31.32 |
| 36 | 1 | 0.36 | 35.64 | 36.36 |
| 17 | 8 | 1.36 | 15.64 | 18.36 |
| 92 | 8 | 7.36 | 84.64 | 99.36 |
| 36 | 1 | 0.36 | 35.64 | 36.36 |
| 25 | 10 | 2.5 | 22.5 | 27.5 |
| 95 | 1 | 0.95 | 94.05 | 95.95 |
| 11 | 2 | 0.22 | 10.78 | 11.22 |
| 60 | 2 | 1.2 | 58.8 | 61.2 |
| 89 | 5 | 4.45 | 84.55 | 93.45 |
| 38 | 5 | 1.9 | 36.1 | 39.9 |
| 96 | 10 | 9.6 | 86.4 | 105.6 |
| 62 | 5 | 3.1 | 58.9 | 65.1 |
| 42 | 10 | 4.2 | 37.8 | 46.2 |
| 23 | 8 | 1.84 | 21.16 | 24.84 |
| 81 | 4 | 3.24 | 77.76 | 84.24 |
| 42 | 1 | 0.42 | 41.58 | 42.42 |
| 23 | 4 | 0.92 | 22.08 | 23.92 |
| 12 | 4 | 0.48 | 11.52 | 12.48 |
| 26 | 2 | 0.52 | 25.48 | 26.52 |

28.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 37 | 2 | 0.74 | 36.26 | 37.74 |
| 59 | 5 | 2.95 | 56.05 | 61.95 |
| 15 | 8 | 1.2 | 13.8 | 16.2 |
| 52 | 1 | 0.52 | 51.48 | 52.52 |
| 87 | 10 | 8.7 | 78.3 | 95.7 |
| 25 | 2 | 0.5 | 24.5 | 25.5 |
| 51 | 5 | 2.55 | 48.45 | 53.55 |
| 69 | 1 | 0.69 | 68.31 | 69.69 |
| 99 | 4 | 3.96 | 95.04 | 102.96 |
| 73 | 5 | 3.65 | 69.35 | 76.65 |
| 81 | 5 | 4.05 | 76.95 | 85.05 |
| 60 | 2 | 1.2 | 58.8 | 61.2 |
| 25 | 5 | 1.25 | 23.75 | 26.25 |
| 82 | 5 | 4.1 | 77.9 | 86.1 |
| 60 | 2 | 1.2 | 58.8 | 61.2 |
| 30 | 5 | 1.5 | 28.5 | 31.5 |
| 76 | 5 | 3.8 | 72.2 | 79.8 |
| 73 | 4 | 2.92 | 70.08 | 75.92 |
| 53 | 10 | 5.3 | 47.7 | 58.3 |
| 95 | 5 | 4.75 | 90.25 | 99.75 |
| 89 | 2 | 1.78 | 87.22 | 90.78 |
| 95 | 4 | 3.8 | 91.2 | 98.8 |
| 87 | 8 | 6.96 | 80.04 | 93.96 |
| 14 | 1 | 0.14 | 13.86 | 14.14 |
| 93 | 1 | 0.93 | 92.07 | 93.93 |

29.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 74 | 2 | 1.48 | 72.52 | 75.48 |
| 63 | 4 | 2.52 | 60.48 | 65.52 |
| 32 | 4 | 1.28 | 30.72 | 33.28 |
| 18 | 4 | 0.72 | 17.28 | 18.72 |
| 49 | 10 | 4.9 | 44.1 | 53.9 |
| 95 | 2 | 1.9 | 93.1 | 96.9 |
| 25 | 10 | 2.5 | 22.5 | 27.5 |
| 27 | 4 | 1.08 | 25.92 | 28.08 |
| 32 | 8 | 2.56 | 29.44 | 34.56 |
| 22 | 5 | 1.1 | 20.9 | 23.1 |
| 87 | 1 | 0.87 | 86.13 | 87.87 |
| 42 | 1 | 0.42 | 41.58 | 42.42 |
| 17 | 4 | 0.68 | 16.32 | 17.68 |
| 87 | 2 | 1.74 | 85.26 | 88.74 |
| 96 | 10 | 9.6 | 86.4 | 105.6 |
| 13 | 1 | 0.13 | 12.87 | 13.13 |
| 42 | 5 | 2.1 | 39.9 | 44.1 |
| 59 | 5 | 2.95 | 56.05 | 61.95 |
| 86 | 5 | 4.3 | 81.7 | 90.3 |
| 17 | 8 | 1.36 | 15.64 | 18.36 |
| 50 | 10 | 5. | 45. | 55. |
| 96 | 5 | 4.8 | 91.2 | 100.8 |
| 34 | 4 | 1.36 | 32.64 | 35.36 |
| 100 | 5 | 5. | 95. | 105. |
| 69 | 4 | 2.76 | 66.24 | 71.76 |

30.

| meritev | napaka v % | napaka | spodnja meja | zgornja meja |
|---------|------------|--------|--------------|--------------|
| 92 | 8 | 7.36 | 84.64 | 99.36 |
| 51 | 10 | 5.1 | 45.9 | 56.1 |
| 22 | 1 | 0.22 | 21.78 | 22.22 |
| 61 | 10 | 6.1 | 54.9 | 67.1 |
| 30 | 2 | 0.6 | 29.4 | 30.6 |
| 66 | 10 | 6.6 | 59.4 | 72.6 |
| 17 | 8 | 1.36 | 15.64 | 18.36 |
| 82 | 10 | 8.2 | 73.8 | 90.2 |
| 69 | 4 | 2.76 | 66.24 | 71.76 |
| 14 | 2 | 0.28 | 13.72 | 14.28 |
| 10 | 10 | 1. | 9. | 11. |
| 12 | 5 | 0.6 | 11.4 | 12.6 |
| 46 | 4 | 1.84 | 44.16 | 47.84 |
| 45 | 4 | 1.8 | 43.2 | 46.8 |
| 60 | 5 | 3. | 57. | 63. |
| 28 | 1 | 0.28 | 27.72 | 28.28 |
| 29 | 5 | 1.45 | 27.55 | 30.45 |
| 98 | 8 | 7.84 | 90.16 | 105.84 |
| 84 | 8 | 6.72 | 77.28 | 90.72 |
| 87 | 5 | 4.35 | 82.65 | 91.35 |
| 86 | 4 | 3.44 | 82.56 | 89.44 |
| 35 | 8 | 2.8 | 32.2 | 37.8 |
| 55 | 10 | 5.5 | 49.5 | 60.5 |
| 79 | 2 | 1.58 | 77.42 | 80.58 |
| 30 | 10 | 3. | 27. | 33. |